

PRODUCT DESCRIPTION	PART NUMBER	COLOR	NOM. MIL THICKNESS	COMMON APPLICATIONS	ADVANTAGES (BENEFITS)	ROLL WIDTH RANGE	PRODUCT TYPE	BASIC ADDITIVES	APPROX. EXPOSED LONGEVITY
FEEDFRESH RB7WB	RB7WB	W/B	7.0	14,15	1,2,5,6,8	6	4, 9	1,3	18 mo.
RUFCA A5WB	A5WB	W/B	5.0	14,15	1,2,3,6,7,8	4	8	1,3	18 mo.
RUFCA 300 WHITE	3W/SS3W	W	3.0	12,13,21,22,23	1,4,5,6,7	2	3	1	9 mo.
RUFCA 610B	610B	B	6.0	1,3,4,5,8,11,15	1,2,3,6,8	4,5	1	3	18 mo.
RUFCA 1010B	1010B	B	10.0	1,2,3,4,5,8,11,15	1,2,3,6,8	4,5	1	3	2 yr.
RUFCA 2010B	2010B	B	20.0	1,2,3,4,6,11	1,2,3,6,8	4,5	1	3	5 yr.
RUFCA 3010B	3010B	B	30.0	1,2,3,4,19	1,2,3,6,8	4,5	1	3	5 yr.
RUFCA 4010B	4010B	B	40.0	1,2,3,4,19	1,2,3,6,8	4,5	1	3	5 yr.
RUFCA 2000B	2000B	B	20.0	1,2,3,4,6,17,21	1,2,3,5,6,8	4,5	6	1,3	10 yr.
RUFCA 3000B	3000B	B	30.0	1,2,3,6,17,21	1,2,3,5,6,8	4,5	6	1,3	10 yr.
RUFCA 4000B	4000B	B	40.0	2,3,6,7,17,21	1,2,3,5,6,8	4,5	6	1,3	15 yr.
RUFCA PP40	PP40	B	40.0	2,3,6,7,17	1,2,3,5,6,8	4,5	2	1,3	15 yr.
DURA-SKRIM 2	R5CC	C	6.0	9,10,13,20,24	1,2,5,6,7,8	4	4	1	6 mo.
DURA-SKRIM 2FR	R5CCF	N	6.0	9,10,13,20,22,24	1,2,5,6,7,8,9	4	4	2	6 mo.
DURA-SKRIM 6WW	R6WWK	W/W	6.0	1,2,8,9,10,13,15,22,24	1,2,4,5,6,7,8	5	4	1	1 yr.
DURA-SKRIM 6WB	R6WB	W/B	6.0	1,2,4,8,9,10,12,13,15,20,22,24	1,2,4,5,6,7,8	5	4	1,3	1 yr.
DURA-SKRIM 6BB	R6BB	B/B	6.0	1,2,4,6,8,15,21	1,2,4,5,6,7,8	5	4	3	1 yr.
DURA-SKRIM J6WB	J6WBA	W/B	6.0	1,2,4,8,9,10,12,13,15,16,20,22,24	1,2,4,5,6,7,8	5	4	1,3	1 yr.
DURA-SKRIM J6WHD	J6WHDA	W/W	6.0	1,2,8,9,10,13,15,22,24	1,2,4,5,6,7,8	5	4	1	1 yr.
DURA-SKRIM 8WB	R8WBK	W/B	8.0	1,2,4,5,6,8,11,12,13,14,21,22	1,2,4,5,6,7,8	5	4	1,3	1 yr.
DURA-SKRIM 8BB	R8BBR	B/B	8.0	1,2,4,6,8,11,12,13,15,21	1,2,4,5,6,7,8	5	4	3	1 yr.
DURA-SKRIM 8BV	R8BV	B/B	8.0	1,2,4,6,8,11,12,13,15	1,2,4,5,6,7,8	5	4	1,3	5 yr.
DURA-SKRIM 10FR	R10CCF	N	10.0	5,8,9,20,21,22,24	1,2,5,6,7,8,9	3	4	2	9 mo.
DURA-SKRIM 10HUV	R10CCU	C	10.0	2,4,8,9,10,11,13,20,22,24	1,2,5,6,7,8	5	4	1	2 yr.
DURA-SKRIM 12WB	R12WBK	W/B	12.0	1,2,3,4,5,6,8,11,14,15,21	1,2,5,6,7,8	5	4	1,3	2 yr.
DURA-SKRIM 12BB	R12BBR	B/B	12.0	1,2,3,4,5,6,8,21	1,2,5,6,7,8	5	4	3	2 yr.
DURA-SKRIM 12BV	R12BV	B/B	12.0	1,2,3,4,5,6,8	1,2,5,6,7,8	5	4	3	5 yr.
DURA-SKRIM R20DD	R20DD	D/D	16.0	1,2,3,5,6,11,12,17,21	1,2,5,6,8	4,5	4	1,3	2 yr.
DURA-SKRIM R20WW	R20WWK	W/W	20.0	1,2,3,5,6,11,12,17,21	1,2,5,6,8	4,5	4	1	5 yr.
DURA-SKRIM J30	J30BB	B/B	30.0	2,3,6,7,17,19	1,2,5,6,8	4,5	4	1,3	10 yr.
DURA-SKRIM J36	J36BB	B/B	36.0	2,3,6,7,17,19	1,2,5,6,8	4,5	4	1,3	15 yr.
DURA-SKRIM J45	J45BB	B/B	45.0	2,3,6,7,17,19	1,2,5,6,8	4,5	4	1,3	20 yr.
CANVEX I	CIC	C	6.0	10,13,20,24	2,4,7	1	5	1	6 mo.
CANVEX CB12WB	CB12WB	W/B	12.0	1,2,4,5,6,8,11,12,14,15	1,2,4,5,7,8	4,5	5	1,3	2 yr.
VAPORBLOCK 6	VB6	BU	6.0	21,23	1,2,3,5,6,8	6	7	1	*N/A
VAPORBLOCK 10	VB10	BU	10.0	21,23	1,2,3,5,6,8	6	7	1	*N/A
VAPORBLOCK 15	VB15	BU	15.0	21,23	1,2,3,5,6,8	6	7	1	*N/A
VAPORBLOCK PLUS 6	VBP6	W/B	6.0	21,23,26	1,2,3,5,6,8	6	9	1,3	*N/A
VAPORBLOCK PLUS 20	VBP20	W/G	20.0	21,23,26	1,2,3,5,6,8	6	9	1	*N/A
FORTRESS PRO	HL6W	W	14.0	25	2,4,10	6	10	1	6 mo.

Color: C=Clear B=Black W=White N=Natural W/W=White/White W/B=White/Black B/B=Black/Black W/G=White/Gold BU=Blue D=Gray

COMMON APPLICATIONS

GEOMEMBRANE LINING & COVERS

- Oil Field Pit Liners
- Remediation Liners & Covers
- Pond Liners
- Erosion Control Covers
- Daily Landfill Covers
- Interim Landfill Covers
- Landfill Caps

INDUSTRIAL

- Outdoor Covers
- Fumigation Covers
- Lead & Asbestos Abatement
- Stock Pile Covers
- Rail Car Covers/Liners
- Product Wrapping

AGRICULTURAL

- Grain Covers
- Hay/Silage Covers
- Poultry House Ceilings
- Waste Disposal Liners
- Hog Confinement Ceilings
- Floating Covers

CONSTRUCTION

- Enclosure Film
- Under-slab Vapor Retarder
- Ceiling & Wall Vapor Retarder
- Radon Retarder
- Divider Curtains
- House Wrap
- Gas Barrier

ADVANTAGES (BENEFITS):

- High Puncture Resistance
- High Tear Resistance
- High Elongation
- Low Elongation
- Low Permeability
- Pin Hole Free
- Economical
- Good Outdoor Longevity
- Fire Retardant
- Breathable

PRODUCT TYPE:

- Extruded 1 Layer MDPE
- Flexible Polypropylene
- Cross Laminated (HDPE/LDPE/HDPE)
- LLDPE Blend Laminated with Scrim Reinforcement
- Woven HDPE Ribbons and Coated with LDPE
- Extruded 1 Layer LLDPE
- Extruded 1 Layer Polyolefin
- Co-Extruded 3 Layer Polyolefin
- Co-Extruded 7 Layer
- Microporous Reinforced Non-woven

ROLL WIDTH RANGE:

- Up to 20'
- Up to 32'
- Up to 40'
- Up to 150'
- Consult Factory for Widths over 150'
- Consult Factory for sizes

BASIC ADDITIVES:

- Ultraviolet Inhibitors/ Thermal Stabilizer
- Fire Retardant
- Carbon Black

Roll Lengths are typically 100'. Many other roll lengths are available. Maximum Roll Weight is 5,000 pounds.

* This product contains UV inhibitors, however, it is intended for non-exposed applications (Vapor Retarder)

LDPE = Low Density Polyethylene
 MDPE = Medium Density Polyethylene
 VLDPE = Very Low Density Polyethylene
 LLDPE = Linear Low Density Polyethylene
 HDPE = High Density Polyethylene
 PP = Polypropylene

Note: Longevity varies with actual location and weather conditions which include sun or shade, extreme heat or cold, wind, altitude, installation and many other variables. Because of these variables, we cannot determine exact longevity.